Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/17 09:19
Ļ2	0	I1 and removable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:19
L3		"5448045".pn. "5428685".pn. "5379344".pn. "5347580".pn. "5341428".pn. "5307411".pn. "5293424".pn. "5204663".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:47
L4	20	"5448045".pn. "5428685".pn. "5379344".pn. "5347580".pn. "5341428".pn. "5307411".pn. "5293424".pn. "5204663".pn. "5124117".pn. "5068894".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:47
L5	14	l4 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:57
L6	1	(smartcard or smart adj card) with UART same encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:58
L7	1	(smartcard or smart adj card) same UART same encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/17 09:58
L8	401	(smartcard or smart adj card) with encrypt\$3 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 09:58

				<u> </u>		
L9	11	I8 and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:20
L10	32	memory adj card same computer same video adj data and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:15
L11	13	memory adj card same computer same stor\$3 with video adj data and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:18
L12	2	"6170743".pn. and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:30
L13	25	(video or digital) adj recorder same memory adj card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:31
L14	14	I13 and stor\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:42
L15	0	"6618789".pn. and cassette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:36
L16	0	"6618789".pn. and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:41

			T			
L17	0	"6618789".pn. and fram\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:41
L18	18	"6170743".pn. "6088755".pn. "6061449".pn. "5933854".pn. "5892900".pn. "5887145".pn. "5858290".pn. "5835604".pn. "5727545".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:45
L19	6	I18 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:05
L20	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 11:06
L21	81	("5623637").URPN.	USPAT	OR	OFF	2005/05/17 11:06
L22	55	I21 and encrypt\$3	USPAT	OR	OFF	2005/05/17 11:06
L23	50	I22 and @ad<"20010816"	USPAT	OR -	OFF	2005/05/17 11:07
L24	13	I23 and video	USPAT	OR	OFF	2005/05/17 11:13
L25	1	"6587949".pn.	USPAT	OR	OFF	2005/05/17 11:38
L26	0	I25 and cassette	USPAT	OR	OFF	2005/05/17 11:13
L27	0	l25 and tape\$2	USPAT	OR	OFF	2005/05/17 11:13
L28	0	I25 and fram\$3	USPAT	OR	OFF -	2005/05/17 11:14
L29	0	I25 and hash\$3	USPAT	OR .	OFF	2005/05/17 11:14
L30	4	"5862217".pn. "5748744".pn. "5499294".pn. "5150407".pn.	USPAT	OR	OFF	2005/05/17 11:39
L31	10	("5862217").URPN.	USPAT	OR	OFF	2005/05/17 11:47
L32	1	"6876984".pn. and fram\$3	USPAT	OR	OFF	2005/05/17 11:45
L33	1	I32 and key	USPAT	OR	OFF	2005/05/17 11:45
L34	0	l33 and key with (card or smartcard)	USPAT	OR	OFF	2005/05/17 11:45
L35	1	l31 and (fram\$3 and encrypt\$3)	USPAT	OR	OFF	2005/05/17 11:48
L36	8	l31 and encrypt\$3	USPAT	OR	OFF	2005/05/17 12:14
L37	1	"6351813".pn.	USPAT	OR	OFF	2005/05/17 12:15

L38	20	(smart adj card or PCMCIA) with import\$3 same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:22
L39	238	(smart adj card or PCMCIA) with (import\$3 or load\$3 or transmit\$4 or transfer\$5) with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:36
L40	2	"6225888".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:37
L41	2	"6427073".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:37
L42	11	video adj cassette with removable adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:44
L43	31	(removable or detachable) adj memory same card same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
L44	0	(removable or detachable) adj from with card same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
L45	0	(removable or detachable) adj from with card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48

L46	0	(remov\$4 or detach\$4) adj from with card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:48
L47	0	(remov\$4 or detach\$4) adj from same card and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:49
L48	4861	card with (detach\$4 or remov\$5) with memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:50
L49	1365	card with (detach\$4 or remov\$5) adj memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 12:50
L50	405	card with (detach\$4 or remov\$5) adj memory and key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:41
L51	559	card with (detach\$4 or remov\$5) with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:42
L52	123	card with (detach\$4 or remov\$5) with stor\$4 with key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 13:57
L53	4627	(cassette or tape) same (remov\$4 or detach\$4) same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:01

L54	113	(cassette or tape) same (remov\$4 or detach\$4) same key same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:03
L55	52	(cassette) same (remov\$4 or detach\$4) same key same memory and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:04
L56	13	(cassette) same (remov\$4 or detach\$4) with memory same key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:06
L57	7305	(detach\$4 or remov\$4) same card and key and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:13
L58	1565	(detach\$4 or remov\$4) same (cassette and video) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:14
L59	. 18	(detach\$4 or remov\$4) adj (memory or chip or card) same (cassette and video) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:22
L60	806	(detach\$4 or remov\$4) adj (memory or chip or card) with (cassette or video or tape) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:25
L61	19	(detach\$4 or remov\$4) adj (memory or chip or card) with (video adj (cassette or tape)) and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:37

L62	. 2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:38
L63		l62 and symmetric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 14:38
L64	1	l62 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
L65	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
L66	1	l65 and (public or assymmetric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:12
L67	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:31
L68		l67 and (assymmetric or public) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:46
L69	2	"6587949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:46

L70	1	I69 and (authentic\$5 or compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:48
L71	2	"5499294".pn. and (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:50
L72	0	(match or success\$5) with compar\$5 with hash\$2 same video same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:51
L73	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:51
L74	3	(match\$3 or success\$5) with compar\$5 with hash\$2 same play\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/17 16:52
L75	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52
L76	0	(match\$3 or success\$5) with compar\$5 with hash\$2 same video same reproduc\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52
L77	3	(match\$3 or success\$5) with compar\$5 with hash\$2 same reproduc\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:52

L78	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:24
L79	1	I78 and (assymmetric or asymmetric or pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:55
L80	16	cassette adj tape with card same stor\$4 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:58
L81	558	cassette adj tape same stor\$4 same video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:59
L82	0	l81 and ("713"/\$.ccls or "380"/\$. ccls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:59
L83	34	l81 and (encrypt\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:04
L84 <sup>-</sup>	22	l83 and recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:04
L85	21	183 and recorder same (tape or cassette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:05

L86	21	l83 and recorder with (tape or cassette)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:10
L87	12	"5499294".pn. "6587949".pn. "1096714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
L88	0	l87 and cassette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
L89	1	l87 and tape\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:11
L90	10	(380/201.ccls. 380/229.ccls. 380/210.ccls. 380/203.ccls.) and @ad<"20010816" and @pd>"20050224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:47
S1	531	380/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:13
S2	317	S1 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
<b>S3</b>	531	380/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16

S4	317	S3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
S5	252	S4 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:16
S6	143	S5 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S7	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:25
S9	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/25 10:32
S10	119	S9 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:36
S11	3	S10 and encrypt\$3 near frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/24 14:36
S12	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33

S13	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33
S14	908	video and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S12 not S13 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:33
S15	220	S14 and encrypt\$3 same frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:34
S16	170	S15 and (reproduc\$3 or play\$3 or playback or play-back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 10:35
S17	21	S16 and (reproduc\$3 or play\$3 or playback or play-back) same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:00
S18	149	S16 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S19	32	S18 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/02/25 11:03
S20	121	S14 and legacy not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:03

	г—-	No. 4 - 10-1	·····			
S21		"20030035543".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:13
S22	30	video and encrypt\$3 and @ad<"20010816" and hash and record\$3 near tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S23	256	video same tape and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S24	908	video and encrypt\$3 and @ad<"20010816" and (hash or signature) and record\$3 not S22 not S23 and frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S25	220	S24 and encrypt\$3 same frame\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S26	170	S25 and (reproduc\$3 or play\$3 or playback or play-back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S27	21	S26 and (reproduc\$3 or play\$3 or playback or play-back) same decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/25 11:28
S28	149	S26 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28

S29	32	S28 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 11:28
S30	117	S28 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/25 11:28
S31	197	380/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S32	166	S31 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 13:53
S34		"5799083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:29
S35	0	S34 and legacy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 16:29
.S36	2	"5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:37
S37	2	"20020112168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:10

S38	37	380/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:37
S39	29	S38 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/02/25 17:43
S40	0	encrypt\$3 near frame\$2 and decrypt\$3 near frame\$2 and video near camera\$2 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 17:55
S41	34	encrypt\$3 near frame\$2 and decrypt\$3 near frame\$2 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/25 17:59
S42	2	"20010009580".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:02
S43	0	S42 and fram\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:02
S44	2	S42 and block\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:04
S45	89	decrypt\$3 near (playback or play\$2 or reproduc\$4) and encrypt\$3 and fram\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:35

S46	257	380/210.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:35
S47	165	S46 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 18:36
548	80	S47 and encrypt\$3 and decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	'OFF	2005/02/25 18:36
S49	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:46
S50	2	S49 and processor\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59
S51	0	JP1270191.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59
S52	9	"1270191".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 08:59
S53	8	"1096714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:37

			_			
S54	0	S53 and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:12
S55	0	S53 and process\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:12
S56		"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 11:37
S57	0	S56 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:03
S58	1	S56 and private	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:37
S59	2	"5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:39
S60	0	S59 and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:39
S61	2	S59 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 12:40

	<del></del>	<del>, , , , , , , , , , , , , , , , , , , </del>	<del></del>			
S62	1	compar\$3 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:07
S63	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:08
S64	0	S63 and medium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:09
S65	2	S63 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:39
S66	46	hash same compar\$3 and signature and hash same fram\$3 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S67	2	"6674874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/02/28 15:51
S68	2	S67 and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:51
S69	2	"4739398".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 16:30

S70	0	S69 and signature and hash and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:16
S71	3139	output\$4 near video same compar\$4 and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S72	0	S71 and compar\$3 near hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:15
S73	1	S71 and compar\$3 same hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:16
S74	787	authent\$4 same output\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:18
S75	186	compar\$3 near hash and video and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 17:49
S76	2	"5499294".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:22
S77	2	S76 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:23

				<del></del> -	<del> 1</del>	
S78	1	S76 and key same related	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:37
S79	2	S76 and signature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 08:37
S80	4	"5799083".pn. "5912972".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:09
S81	2	"5623637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:09
S82		S81 and removable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:43
S83		smart adj card adj (integrated) same removable and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:44
S84	0	smart adj card with UART same removable and @ad<"20010816"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 17:44